









Product	Product overview
	<p>Boilie lab roller module Boilie lab cutting unit Speed regulated gear motor with 100RPM max 8 kg bait gun Regulated bait gun stand</p> <p>Note: after buying one whole auto setup you just need to buy needed size module to be upgraded to another size of boilies and pairing is done by special connector so it's not necessary to unscrew motor from other machine</p> <p>Recommended end user price 2200 euro</p>
	<p>Boilie lab roller module</p> <p>This unit using 3 roller self centering system, Boilie lab whole auto setup metal gearing with chain, new position lock technology and adjustable or removable sorting board</p> <p>Aviable sizes: 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm</p> <p>Recommended end user price 1250 euro</p>
	<p>Boilie lab Bigfoot roller module.</p> <p>This unit using 3 roller self centering system, metal gearing with chain, new position lock technology and adjustable or removable sorting board</p> <p>Aviable sizes: from 10mm till 50mm</p> <p>Recommended end user price 1550 euro</p>
	<p>Boilie lab / Boilie lab Bigfoot</p> <p>Gear motor with vector type frequency inverter and torque boost technology.</p> <p>Recommended end user price 500 euro</p>

	<p>Gear motor</p> <p>Speed regulated gear motor with 100 RPM max , suitable for Boilieroller and Boilie lab Machines, 110v - 220v</p> <p><b>Recommended end user price 220 euro</b></p>
	<p>220v gear motor with constant 30 RPM, suitable for Boilieroller and Boilie lab machines</p> <p><b>Recommended end user price 220 euro</b></p>
	<p>4 kg human food grade pneumatic dough gun with with spare nozzle, manual pressure regulation and defloating pistol</p> <p><b>Recommended end user price 250 euro</b></p>
	<p>4 kg pneumatic dough gun with spare nozzle, manual pressure regulation and defloating pistol</p> <p><b>Recommended end user price 250 euro</b></p>






	<p>8 kg pneumatic dough gun with spare nozzle, due to size and weight those bait guns are recommended for use with our baitgun stands</p> <p><b>Recommended end user price 320 euro</b></p>
	<p>12 kg pneumatic dough gun with spare nozzle, due to size and weight those bait guns are recommended for use with our baitgun stands</p> <p><b>Recommended end user price 400 euro</b></p>
	<p>Boilie lab Extruder 15-20 kg capacity</p> <p>Our extruder are build from 304 grade Stainless steel and auger made from PE1000 grade plastic so this machine suitable for human grade products. It have speed regulation , and auger is free float design to push out maximum dough.</p> <p>Extruder top mixer and compressor part driven with same motor as for auger and electricity consumption is minimal if matched to competitors.</p> <p><b>Recommended end user price 3000 euro</b></p>
	<p>Regulated bait gun stand</p> <p>Suitable for Boilieroller and Boilie lab machines</p> <p><b>Recommended end user price 65 euro</b></p>
	<p>Regulated bait gun stand</p> <p>Suitable for Boilie lab Advance/PRO/EXPERT machines</p> <p><b>Recommended end user price 80 euro</b></p>

	<p>Boilie lab / Boilie lab Bigfoot cutting unit</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>For this system we using self defloating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automaticly</p> <p><b>Recommended end user price 420 euro</b></p>
	<p>Boilie lab / Boilie lab Bigfoot Belt conveyor cutting unit</p> <p>This cutting unit using double rod air cylinder, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Sausage precutting is made by wire cutting system so no loosed bits left anymore. Conveyor rollers are exchanged to conveyor belt with speed regulation that you can regulate the correct speed of conveyor what will suit your out coming sausage. For this system we using self deflating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automatically</p> <p><b>Recommended end user price 1200 euro</b></p>
	<p>Cutting unit for Boilieroller 12v or 220v</p> <p>This cutting unit using 2 single rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p><b>Recommended end user price 380 euro</b></p> <p>Extra options: 110-220v to 12v transformer 50 euro</p>



	<p><b>Boilie lab Advance/Boilieroller cutting unit</b></p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>For this system we using self defloating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automaticly</p> <p><b>Recommended end user price 550 euro</b></p>
	<p><b>Boilie lab Advance/Boilieroller Belt conveyor cutting unit</b></p> <p>This cutting unit using double rod air cylinder, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Sausage precutting is made by wire cutting system so no loosed bits left anymore. Conveyor rollers are exchanged to conveyor belt with speed regulation that you can regulate the correct speed of conveyor what will suit your out coming sausage. For this system we using self deflating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automatically</p> <p>Suitable for Ghebel carp, Boilie benz and bait tool machines.</p> <p><b>Recommended end user price 1300 euro</b></p>
	<p><b>Boilie lab PRO/EXPERT cutting unit</b></p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>For this system we using self defloating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automaticly</p> <p><b>Recommended end user price 600 euro</b> Best from sizes 18-20mm and up</p>

	<p>Boilie lab PRO / EXPERT cutting unit 220v</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>Sausage precutting is made by wire cutting system so no loosed bits left anymore</p> <p>Conveyor rollers are exchanged to conveyor belt with speed regulation that you can regulate the correct speed of conveyor what will suit your out coming sausage.</p> <p>For this system we using self deflating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automatically</p> <p><b>Recommended end user price 1500 euro</b></p>
	<p>Food roller / Food roller EXPERT cutting unit 220v</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>Sausage precutting is made by wire cutting system so no loosed bits left anymore</p> <p>Conveyor rollers are exchanged to conveyor belt with speed regulation that you can regulate the correct speed of conveyor what will suit your out coming sausage.</p> <p>For this system we using self deflating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automatically</p> <p><b>Recommended end user price 2000 euro</b></p>
	<p>Custom build cutting unit for Boilie benz boilie rollers.</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Dough gun system defloating valve</p>


	<p>Custom build cutting unit for Boilie design boilie rollers. This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Dough gun system defloating valve</p>
	<p>Conveyor roller for Boilie lab machines <b>Recommended end user price 45 euro</b></p>
	<p>Conveyor roller for Boilie lab Advance / Boilieroller machines <b>Recommended end user price 50 euro</b></p>
	<p>Conveyor roller for Boilie lab PRO/EXPERT machines <b>Recommended end user price 60 euro</b></p>
	<p>Fixed speed version Docking station for Boilie lab machines with integrated powerful single phase gear motor with fixed speed. This unit is for serious rolling needs and it allows easy exchange of modules without screwing, as motor and cutting unit or conveyor roller already attached to docking station. <b>Recommended end user price 500 euro</b></p> <p>Note: Cutting unit/conveyor roller , pneumatic dough gun , regulated dough gun stand and Boilie lab module you need to buy separate</p>



Docking station for Boilie lab machines with integrated powerful 3 phase gear motor with frequency inverter for 220v main, to regulate speed of rolls RPM (turning speed of rolls), this unit is for serious rolling needs and it allows easy exchange of modules without screwing, as motor and cutting unit or conveyor roller already attached to docking station.

**Recommended end user price 850 euro**

Note: Cutting unit/conveyor roller , pneumatic dough gun , regulated dough gun stand and Boilie lab module you need to buy separate




Boilie lab DUO boilie rolling machine

This machine have 2 sizes in one machine (15mm and 20mm) it can roll boilies dumbbells and pillows. Each roll speed can be adjusted to have possibility to roll many kind of mixes and achieve really good roundness.

Those machines have same metal gearing inside as Boilie lab. This machine is for private use, not for bait companies

Worldwide electricity friendly

**Recommended end user price 1500 euro**



Boilie lab Advance, Boilie rolling machine

This machine can roll and compress boilies in high speeds with superb roundness ( thanks to its new radius pattern), by default machine can make boilies , dumbbells and pillows , you can exchange roller block and roll other size boilies or for example some special shape boilies like butterflies, worms and etc.

Rollers length 40cm and weight 30 kg

Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can... be adjusted, starting from 0 RPM and up to its max RPM

TO EXCHANGE BOILIE SIZE YOU DO NOT NEED TO SCREW SOMETHING

**Recommended end user price 2500 euro**



	<p>Boilie lab Advance Boilie rolling machine with hybrid block</p> <p>This is something new, something special, something, what others don't have ...</p> <p><b>FASTEST SPEED WITH BEST RESULT !</b></p> <p>Using 4 roller technology where product is processed 3 independent times , before its released so its incorporate 3 different rolling situations as we used combined material types, so firstly boilies are cutted and formed into the ball , next process is forming it to perfect roundness, the third process remove all tiny bits from boilie and make finish shiny and perfect .... with 2 separate gear motors and specially designed gear box, rollers speed and gear ratio can be adjusted, starting from 0 RPM and up to its max RPM</p> <p><b>Recommended end user price 3500 euro</b></p>
	<p>Boilie lab Advance Roller module</p> <p>All Boilie lab advance roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p> <p><b>Recommended end user price 1000 euro</b></p>
	<p>Boilie lab Advance Roller Hybrid module</p> <p>4 roller block</p> <p>All Boilie lab advance roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p> <p><b>Recommended end user price 2000 euro</b></p>



Boilie lab Pro Boilie rolling machine

This machine can roll and compress boilies in high speeds with superb roundness ( thanks to its new radius pattern), by default machine can make boilies dumbbells and pillows , you can exchange roller block and roll other size boilies or for example some special shape boilies like butterflies, worms and etc.

Machine size: 850 x 380 x 850 mm cm and weight 60 kg

Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can be adjusted, starting from 0 RPM and up to its max RPM

**Recommended end user price 4500 euro**



Boilie lab Pro Boilie rolling machine with hybrid block

This is something new, something special, something, what others don't have ...

**FASTEST SPEED WITH BEST RESULT !**

Using 4 roller technology where product is processed 3 independent times , before its released so its incorporate 3 different rolling situations as we used combined material types, so firstly boilies are cutted and formed into the ball , next process is forming it to perfect roundness, the third process remove all tiny bits from boilies and make finish shiny and perfect .... with 2 separate gear motors and specially designed gear box, rollers speed and gear ratio can be adjusted, starting from 0 RPM and up to its max RPM



**Recommended end user price 6000 euro**



Boilie lab PRO Roller Module

All Boilie lab PRO roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers


**Recommended end user price 1500 euro**

	<p>Boilie lab PRO Roller Hybrid Module</p> <p>4 roller block</p> <p>All Boilie lab PRO roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p> <p>Recomended end user price 3000 euro</p>
	<p>Boilie lab Expert Boilie rolling machine</p> <p>This is the real beast if we get to hard and difficult rolling mixes as well as speed possibility.</p> <p>This machine can roll and compress boilies in high speeds with superb roundness ( thanks to its new radius pattern), by default machine can make boilies dumbbells and pillows , you can exchange roller block and roll other size boilies or for example some special shape boilies like butterflies, worms and etc.</p> <p>Machine size: 850 x 450 x 1000 mm cm and weight 100 kg</p> <p>Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can be adjusted, starting from 0 RPM and up to its max RPM</p> <p>Recomended end user price 8500 euro</p>

	<p>Boilie lab Expert Boilie rolling machine with hybrid block</p> <p>This is something new, something special, something, what others don't have ...</p> <p><b>FASTEST SPEED WITH BEST RESULT !</b></p> <p>Using 4 roller technology where product is processed 3 independent times , before its released so its incorporate 3 different rolling situations as we used combined material types, so firstly boilies are cutted and formed into the ball , next process is forming it to perfect roundness, the third process remove all tiny bits from boilies and make finish shiny and perfect .... with 2 separate gear motors and specially designed gear box, rollers speed and gear ratio can be adjusted, starting from 0 RPM and up to its max RPM</p> <p><b>Recommended end user price 10500 euro</b></p>
	<p>Boilie lab EXPERT roller module</p> <p>All Boilie lab Expert roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p> <p><b>Recommended end user price 2000 euro</b></p>
	<p>Boilie lab EXPERT Hybrid roller module</p> <p><b>4 roller block</b></p> <p>All Boilie lab Expert roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p> <p><b>Recommended end user price 4000 euro</b></p>



	<p>Food roller</p> <p>This machine can roll chocolate/dry fruit candies, cookies, meat balls and so on. This machine is special made for that work and have different radius pattern , much thicker side walls and one roll have special cutting tooth system, by default machine can make balls , dumbbells and pillows , you can exchange roller block and roll other size balls .</p> <p>Materials used in this machine are PET, Plexiglas, PE 1000, POM, Food grade stainless steel.</p> <p>Machine size: 85x38x45 cm and weight 55 kg</p> <p>Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can... be adjusted, starting from 0 RPM and up to its max RPM</p> <p>TO EXCHANGE BOILIE SIZE YOU DO NOT NEED TO SCREW SOMETHING</p> <p>Recomended end user price 5000</p>
	<p>Food roller spare block</p> <p>Recomended end user price 2000 euro</p>

	<p>Human grade Food roller</p> <p>Based on Boilie lab boilie roller EXPERT</p> <p>This machine can roll chocolate / dry fruit... candies, cookies, meat balls and so on. This machine is special made for that work and have different radius pattern , much thicker side walls and one roll have special cutting tooth system, by default machine can make balls , dumbbells and pillows , you can exchange roller block and roll other size balls .</p> <p>Materials used in this machine are PET, Plexiglas, PE 1000, POM, Food grade stainless steel.</p> <p>Machine size: 850 x 450 x 1000 cm and weight 100 kg Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can... be adjusted, starting from 0 RPM and up to its max RPM</p> <p><b>Recommended end user price 9000 euro</b></p>
	<p>Food roller EXPERT spare block</p> <p><b>Recommended end user price 2500 euro</b></p>



Boilie lab electric pellet maker  
For 12kg pneumatic dough gun  
With 5 shape pattern inserts on your request

Recommended end user price 280 euro



Extra lenght nozzle



Air dry tray  
Tray size 8.5cm x 32cm x 52cm



Plexiglass boilie collecting tray  
One open side  
Tray size 33cm x 25cm x 3cm  
This is a perfect size to reduce  
deforming boilies after rolling and  
keep them inline.  
Suitable for Boilie lab boilie rolling  
machines