














| Product   | Product overview  | Price with VAT       |
|---|---|----------------------|
|    | <p>Boilie lab roller module<br/>Boilie lab cutting unit<br/>Speed regulated gear motor with 100RPM max<br/>8 kg bait gun<br/>Regulated bait gun stand</p> <p>Note: after buying one whole auto setup you just need to buy needed size module to be upgraded to another size of boilies and pairing is done by special connector so it's not necessary to unscrew motor from other machine</p> | <p>2200<br/>Euro</p> |
|    | <p>Boilie lab roller module</p> <p>This unit using 3 roller self centering system, Boilie lab whole auto setup metal gearing with chain, new position lock technology and adjustable or removable sorting board</p> <p>Aviable sizes: 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm</p>  | <p>1250<br/>Euro</p> |
|  | <p>Boilie lab compact factory<br/>Kit include<br/>Machine frame , motor part , automatic sorting, one roller block, belt type cutting unit, 10-15kg load extruder, silent compressor , spare nozzles and plastic box</p>  | <p>7500<br/>Euro</p> |
|  | <p>Boilie lab compact factory<br/>Spare block</p>   | <p>1600<br/>Euro</p> |




|  |   |                      |
|--|---|----------------------|
|  <p>A black metal frame containing three white rollers. The text 'Boilie LAB' and '22MM' is visible on the rollers.</p> | <p>Boilie lab Bigfoot roller module.<br/>This unit using 3 roller self centering system, metal gearing with chain, new position lock technology and adjustable or removable sorting board<br/>Aviabile sizes: from 10mm till 50mm</p> | <p>1550<br/>Euro</p> |
|  <p>Two silver gear motors with black control boxes, one with a red emergency stop button.</p>                         | <p>220v gear motor with constant 30 RPM, suitable for Boilie lab basic and Boilieroller machines.</p>   | <p>220<br/>Euro</p>  |
|  <p>Two silver gear motors with black control boxes, one with a red emergency stop button.</p>                        | <p>220v gear motor with constant 30 RPM, suitable for Boilie lab Bigfoot and Boilieroller Machines.</p>   | <p>330<br/>Euro</p>  |
|  <p>Two silver gear motors with black control boxes, one with a red emergency stop button.</p>                        | <p>Powerful gear motor with vector type speed control, suitable for Boilie lab Basic and Boilieroller machines.</p>   | <p>500<br/>Euro</p>  |




|   |   |                     |
|---|---|---------------------|
|    | <p>Powerful gear motor with vector type speed control, suitable for Boilie lab ,Boilie lab Bigfoot, Boilieroller machines.</p>            | <p>600<br/>Euro</p> |
|    | <p>Gear motor<br/>Speed regulated gear motor with 100 RPM max , suitable for Boilieroller and Boilie lab Machines, 110v - 220v</p>        | <p>220<br/>Euro</p> |
|   | <p>4 kg pneumatic dough gun with spare nozzle, manual pressure regulation and defloating pistol</p>                                       | <p>250<br/>Euro</p> |
|  | <p>8 kg pneumatic dough gun with spare nozzle, due to size and weight those bait guns are recommended for use with our baitgun stands</p> | <p>320<br/>Euro</p> |



|   |  |                  |
|---|--|------------------|
|    | <p>12 kg pneumatic dough gun with spare nozzle, due to size and weight those bait guns are recommended for use with our baitgun stands</p>   | <p>400 Euro</p>  |
|    | <p>Boilie lab Extruder 10-15 kg capacity</p> <p>Our extruder are build from 304 grade Stainless steel and auger made from PE1000 grade plastic so this machine suitable for human grade products. It have speed regulation , and auger is free float design to push out maximum dough.</p> <p>Extruder top mixer and compressor part driven with same motor as for auger and electricity consumption is minimal if matched to competitors.</p> | <p>3000 Euro</p> |
|   | <p>Boilie lab Extruder 30-35 kg capacity</p> <p>Our extruder are build from 304 grade Stainless steel and auger made from PE1000 grade plastic so this machine suitable for human grade products. It have speed regulation , and auger is free float design to push out maximum dough.</p> <p>Extruder top mixer and compressor part driven with same motor as for auger and electricity consumption is minimal if matched to competitors.</p> | <p>5000 Euro</p> |
|  | <p>Regulated bait gun stand</p> <p>Suitable for Boilieroller and Boilie lab machines</p>   | <p>65 Euro</p>   |
|  | <p>Regulated bait gun stand</p> <p>Suitable for Boilie lab Advance/PRO/EXPERT machines</p>   | <p>80 Euro</p>   |

|   |  |                     |
|---|--|---------------------|
|    | <p>Regulated stand for extruder, suitable for Advance / Bigfoot / Boilie Lab 3 roller Machines</p>   | <p>200<br/>Euro</p> |
|    | <p>Regulated stand for extruder, suitable for PRO / Expert machines</p> <p>This stand is self standing support for extruder , the height of it can be regulated to accept pro machine with standart 2 roller block up to expert machine with hybrid 4 roller block. Stand are on its own wheels with brakes and special clamping system to fix and align it to the machine. After fixing stand to the machine all setup becomes as one and can be moved around</p> | <p>400<br/>Euro</p> |
|   | <p>Compact factory movable 2 place rack system to store your spare blocks and nozzles, top surface can be used as table</p>  | <p>250<br/>Euro</p> |
|  | <p>Compact factory movable 4 place rack system to store your spare blocks and nozzles, top surface can be used as table</p>  | <p>400<br/>Euro</p> |

|   |  |                      |
|---|--|----------------------|
|    | <p>Movable stand for 8-10 kg spiral mixer on bottom shelf and 6 pan steaming unit on top shelf.</p>  | <p>300<br/>Euro</p>  |
|   | <p>Boilie lab / Boilie lab Bigfoot cutting unit</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>For this system we using self defloating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automatically</p>  | <p>420<br/>Euro</p>  |
|  | <p>Boilie lab / Boilie lab Bigfoot Belt conveyor cutting unit</p> <p>This cutting unit using double rod air cylinder, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Sausage precutting is made by wire cutting system so no loosed bits left anymore. Conveyor rollers are exchanged to conveyor belt with speed regulation that you can regulate the correct speed of conveyor what will suit your out coming sausage. For this system we using self deflating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automatically</p> | <p>1200<br/>Euro</p> |




|   |   |                      |
|---|---|----------------------|
|    | <p>Sold in pack of 10 !</p> <p>Cutting unit for Boilieroller 12v or 220v</p> <p>This cutting unit using 2 single rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>Extra options:<br/>110-220v to 12v transformer 50 euro</p>   | <p>2500<br/>Euro</p> |
|   | <p>Boilie lab Advance/Boilieroller cutting unit</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>For this system we using self defloating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automaticly</p>   | <p>550<br/>Euro</p>  |
|  | <p>Boilie lab Advance/Boilieroller Belt conveyor cutting unit</p> <p>This cutting unit using double rod air cylinder, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Sausage precutting is made by wire cutting system so no loosed bits left anymore. Conveyor rollers are exchanged to conveyor belt with speed regulation that you can regulate the correct speed of conveyor what will suit your out coming sausage. For this system we using self deflating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automaticly</p> <p>Suitable for Ghebel carp, Boilie benz and bait tool machines.</p> | <p>1300<br/>Euro</p> |






|   |  |                      |
|---|--|----------------------|
|    | <p>Boilie lab PRO/EXPERT cutting unit</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>For this system we using self defloating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automaticly</p> <p>Best from sizes 18-20mm and up</p>  | <p>600<br/>Euro</p>  |
|   | <p>Boilie lab PRO / EXPERT cutting unit 220v</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage.</p> <p>Sausage precutting is made by wire cutting system so no loosed bits left anymore</p> <p>Conveyor rollers are exchanged to conveyor belt with speed regulation that you can regulate the correct speed of conveyor what will suit your out coming sausage.</p> <p>For this system we using self deflating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automatically</p> | <p>1500<br/>Euro</p> |
|  | <p>Food roller / Food roller EXPERT cutting unit 220v</p> <p>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Sausage precutting is made by wire cutting system so no loosed bits left anymore. Conveyor rollers are exchanged to conveyor belt with speed regulation that you can regulate the correct speed of conveyor what will suit your out coming sausage.</p> <p>For this system we using self deflating valve for sausage gun connection so when you closing air way to the sausage gun it's de-airing automatically</p>     | <p>2000<br/>Euro</p> |



|   |  |                     |
|---|--|---------------------|
|    | <p>Custom build cutting unit for Boilie benz boilie rollers.<br/>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Dough gun system defloating valve</p>   | <p>500<br/>Euro</p> |
|    | <p>Custom build cutting unit for Boilie design boilie rollers.<br/>This cutting unit using 2 double rod air cylinders, system have 2 pressure regulators , one with 40 micron water and dirt filter to regulate acting speed and power of cutting bumper, second one is for control speed of outgoing sausage. Dough gun system defloating valve</p> | <p>500<br/>Euro</p> |
|   | <p>Conveyor roller for Boilie lab / Boilie lab Bigfoot machines</p>  | <p>25 Euro</p>      |
|  | <p>Conveyor roller for Boilie lab Advance / Boilieroller machines</p>  | <p>30Euro</p>       |
|  | <p>Conveyor roller for Boilie lab PRO/EXPERT machines</p>  | <p>40Euro</p>       |
|  | <p>Conveyor roller 1m in leght</p>   | <p>50Euro</p>       |




|   |  |                      |
|---|--|----------------------|
|    | <p>Fixed speed version<br/>         Docking station for Boilie lab machines with integrated powerful single phase gear motor with fixed speed. This unit is for serious rolling needs and it allows easy exchange of modules without screwing, as motor and cutting unit or conveyor roller already attached to docking station.</p> <p>Note: Cutting unit/conveyor roller , pneumatic dough gun , regulated dough gun stand and Boilie lab module you need to buy separate</p>  | <p>500<br/>Euro</p>  |
|   | <p>Docking station for Boilie lab machines with integrated powerful 3 phase gear motor with frequency inverter for 220v main, to regulate speed of rolls RPM (turning speed of rolls), this unit is for serious rolling needs and it allows easy exchange of modules without screwing, as motor and cutting unit or conveyor roller already attached to docking station.</p> <p>Note: Cutting unit/conveyor roller , pneumatic dough gun , regulated dough gun stand and Boilie lab module you need to buy separate</p>  | <p>800<br/>Euro</p>  |
|  | <p>Boilie lab Advance, Boilie rolling machine</p> <p>This machine can roll and compress boilies in high speeds with superb roundness ( thanks to its new radius pattern), by default machine can make boilies, dumbbells and pillows , you can exchange roller block and roll other size boilies or for example some special shape boilies like butterflies, worms and etc.</p> <p>Rollers length 40cm and weight 30 kg</p> <p>Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can... be adjusted, starting from 0 RPM and up to its max RPM</p> <p>TO EXCHANGE BOILIE SIZE YOU DO NOT NEED TO SCREW SOMETHING</p> | <p>2500<br/>Euro</p> |

|   |   |                             |
|---|---|-----------------------------|
|    | <p>Boilie lab Advance Boilie rolling machine with hybrid block</p> <p>This is something new, something special, something, what others don't have ...</p> <p><b>FASTEST SPEED WITH BEST RESULT !</b></p> <p>Using 4 roller technology where product is processed 3 independent times , before its released so its incorporate 3 different rolling situations as we used combined material types, so firstly boilies are cutted and formed into the ball , next process is forming it to perfect roundness, the third process remove all tiny bits from boilie and make finish shiny and perfect .... with 2 separate gear motors and specially designed gear box, rollers speed and gear ratio can be adjusted, starting from 0 RPM and up to its max RPM</p> | <p><b>3500<br/>Euro</b></p> |
|   | <p>Boilie lab Advance Roller module</p> <p>All Boilie lab advance roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p>  | <p><b>1000<br/>Euro</b></p> |
|  | <p>Boilie lab Advance Roller Hybrid module</p> <p><b>4 roller block</b></p> <p>All Boilie lab advance roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p>  | <p><b>2000<br/>Euro</b></p> |







|   |  |                      |
|---|--|----------------------|
|    | <p>Boilie lab Pro Boilie rolling machine</p> <p>This machine can roll and compress boilies in high speeds with superb roundness ( thanks to its new radius pattern), by default machine can make boilies dumbbells and pillows , you can exchange roller block and roll other size boilies or for example some special shape boilies like butterflies, worms and etc.</p> <p>Machine size: 850 x 380 x 850 mm cm and weight 60 kg</p> <p>Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can be adjusted, starting from 0 RPM and up to its max RPM</p>  | <p>4500<br/>Euro</p> |
|   | <p>Boilie lab Pro Boilie rolling machine with hybrid block</p> <p>This is something new, something special, something, what others don't have ...</p> <p><b>FASTEST SPEED WITH BEST RESULT !</b></p> <p>Using 4 roller technology where product is processed 3 independent times , before its released so its incorporate 3 different rolling situations as we used combined material types, so firstly boilies are cutted and formed into the ball , next process is forming it to perfect roundness, the third process remove all tiny bits from boilies and make finish shiny and perfect .... with 2 separate gear motors and specially designed gear box, rollers speed and gear ratio can be adjusted, starting from 0 RPM and up to its max RPM</p> | <p>6000<br/>Euro</p> |
|  | <p>Boilie lab PRO Roller Module</p> <p>All Boilie lab PRO roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p>   | <p>1500<br/>Euro</p> |

|  |  |                      |
|--|--|----------------------|
|   | <p>Boilie lab PRO Roller Hybrid Module</p> <p>4 roller block</p> <p>All Boilie lab PRO roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p>  | <p>3000<br/>Euro</p> |
|  | <p>Boilie lab Expert Boilie rolling machine</p> <p>This is the real beast if we get to hard and difficult rolling mixes as well as speed possibility.</p> <p>This machine can roll and compress boilies in high speeds with superb roundness ( thanks to its new radius pattern), by default machine can make boilies dumbbells and pillows , you can exchange roller block and roll other size boilies or for example some special shape boilies like butterflies, worms and etc.</p> <p>Machine size: 850 x 450 x 1000 mm cm and weight 100 kg</p> <p>Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can be adjusted, starting from 0 RPM and up to its max RPM</p> | <p>8500<br/>Euro</p> |

|   |   |                              |
|---|---|------------------------------|
|    | <p>Boilie lab Expert Boilie rolling machine with hybrid block</p> <p>This is something new, something special, something, what others don't have ...</p> <p><b>FASTEST SPEED WITH BEST RESULT !</b></p> <p>Using 4 roller technology where product is processed 3 independent times , before its released so its incorporate 3 different rolling situations as we used combined material types, so firstly boilies are cutted and formed into the ball , next process is forming it to perfect roundness, the third process remove all tiny bits from boilies and make finish shiny and perfect .... with 2 separate gear motors and specially designed gear box, rollers speed and gear ratio can be adjusted, starting from 0 RPM and up to its max RPM</p> | <p><b>10500<br/>Euro</b></p> |
|   | <p>Boilie lab EXPERT roller module</p> <p>All Boilie lab Expert roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p>  | <p><b>2000<br/>Euro</b></p>  |
|  | <p>Boilie lab EXPERT Hybrid roller module</p> <p><b>4 roller block</b></p> <p>All Boilie lab Expert roller modules are protected with Plexiglas and you will not damage rolls while changing them besides you do not need to screw something to Exchange rollers</p>  | <p><b>4000<br/>Euro</b></p>  |







|  |  |                             |
|--|--|-----------------------------|
|   | <p><b>Food roller</b></p> <p>This machine can roll chocolate/dry fruit candies, cookies, meat balls and so on. This machine is special made for that work and have different radius pattern , much thicker side walls and one roll have special cutting tooth system, by default machine can make balls , dumbbells and pillows , you can exchange roller block and roll other size balls .</p> <p>Materials used in this machine are PET, Plexiglas, PE 1000, POM, Food grade stainless steel.</p> <p>Machine size: 85x38x45 cm and weight 55 kg</p> <p>Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can... be adjusted, starting from 0 RPM and up to its max RPM</p> <p>TO EXCHANGE BOILIE SIZE YOU DO NOT NEED TO SCREW SOMETHING</p> | <p><b>5000<br/>Euro</b></p> |
|  | <p>Food roller spare block</p>   | <p><b>2000<br/>Euro</b></p> |







|   |  |                             |
|---|--|-----------------------------|
|    | <p>Human grade Food roller</p> <p>Based on Boilie lab boilie roller<br/>EXPERT</p> <p>This machine can roll chocolate / dry fruit...<br/>candies, cookies, meat balls and so on.<br/>This machine is special made for that work and have different radius pattern , much thicker side walls and one roll have special cutting tooth system, by default machine can make balls , dumbbells and pillows , you can exchange roller block and roll other size balls .</p> <p>Materials used in this machine are PET, Plexiglas, PE 1000, POM, Food grade stainless steel.</p> <p>Machine size: 850 x 450 x 1000 cm and weight 100 kg<br/>Using 2 roller system (exchangeable roll system) with 2 separate gear motors, each motors speed can... be adjusted, starting from 0 RPM and up to its max RPM</p> | <p><b>9000<br/>Euro</b></p> |
|  | <p>Food roller EXPERT spare block</p>  | <p><b>2500<br/>Euro</b></p> |




|   |   |  |                      |
|---|---|--|----------------------|
|    | <p>Boilie lab electric pellet maker<br/>For 12kg pneumatic dough gun<br/>Or our extruder with 3 size pattern inserts<br/>Operates on 220v powerful gear motor</p> | <p>450<br/>Euro</p>  |                      |
|   |   | <p>Electric steaming cabinet 6 trays<br/>With 6 small size stainless steel perforated pans</p> | <p>600<br/>Euro</p>  |
|  |   | <p>Gas steaming cabinet 8 trays<br/>With 8 large size stainless steel perforated pans</p>      | <p>1000<br/>Euro</p> |



|  |   |  |   |                      |
|--|---|--|---|----------------------|
|  |    |  | <p>Gas steaming cabinet 12 trays<br/>With 12 large size stainless steel perforated pans</p>                 | <p>1500<br/>Euro</p> |
|  |   |  | <p>Gas steaming cabinet 24 trays<br/>Double door<br/>With 24 large size stainless steel perforated pans</p> | <p>2500<br/>Euro</p> |
|  |  |  | <p>Dough mixer 20L<br/>8-10 kg load<br/>2 speed<br/>220v</p>  | <p>800<br/>Euro</p>  |
|  |  |  | <p>Dough mixer 60L<br/>25-30 kg load<br/>2 speed<br/>220v</p>   | <p>1200<br/>Euro</p> |

|  |   |  |   |                      |
|--|---|--|---|----------------------|
|  |    |  | <p>Dough/Liquid mixer<br/>30L<br/>10-14 kg load<br/>3 speed<br/>220v</p>          | <p>850<br/>Euro</p>  |
|  |    |  | <p>Dough/Powder mixer<br/>15 kg load<br/>Front/backward<br/>movement<br/>220v</p> | <p>1000<br/>Euro</p> |
|  |   |  | <p>Dough/Powder mixer<br/>50 kg load<br/>Front/backward<br/>movement<br/>220v</p> | <p>1500<br/>Euro</p> |
|  |  |  | <p>Milling machine for wet and oily<br/>products</p>                              | <p>220<br/>Euro</p>  |
|  |  |  | <p>Milling machine for dry products</p>   | <p>220<br/>Euro</p>  |
|  |  |  | <p>Industrial blender<br/>4L capacity and strong 2200w motor</p>                  | <p>250<br/>Euro</p>  |

|  |   |  |   |                     |
|--|---|--|---|---------------------|
|  |    |  | <p>Stainless steel steaming tray<br/>Small size (for use with our electric steamer)</p>   | <p>10<br/>Euro</p>  |
|  |    |  | <p>Stainless steel steaming tray<br/>Large size (for use with our gas steamers)</p>   | <p>15<br/>Euro</p>  |
|  |    |  | <p>8.5 kw gas burner<br/>with automatic ignition</p>  | <p>85<br/>Euro</p>  |
|  |   |  | <p>10l manual boiling unit</p>  | <p>100<br/>Euro</p> |
|  |  |  | <p>2x10l manual boiling unit</p>  | <p>150<br/>Euro</p> |
|  |  |  | <p>Boilie lab electric pellet maker<br/>For 12kg pneumatic dough gun<br/>Or our extruder with 3 size pattern inserts<br/>Operates on 220v powerful gear motor</p> | <p>400<br/>Euro</p> |

|   |   |                     |
|---|---|---------------------|
|    | <p>Battery and 220v operated weight scales<br/>40kg max<br/>1gram precision<br/>Stainless steel top cover</p>   | <p>50<br/>Euro</p>  |
|    | <p>Silent compressor 37-40db<br/>10L</p>  | <p>165<br/>Euro</p> |
|   | <p>Extra lenght nozzle</p>  | <p>2<br/>Euro</p>   |
|  | <p>Air dry tray<br/>Tray size 40*60cm<br/>Colors aviable<br/>RED and WHITE</p>  | <p>10 Euro</p>      |
|  | <p>Plexiglass boilie collecting tray<br/>One open side<br/>Tray size 33cm x 25cm x 3cm<br/>This is a perfect size to reduce<br/>deforming boilies after rolling and<br/>keep them inline.<br/>Suitable for Boilie lab boilie rolling<br/>machines</p> | <p>15 Euro</p>      |